

CREE ⇄ LIGHTING



PRICELIST 2023



F E B R U A R Y

PRODUCT MAP

OUTDOOR

SYRIUS

SYRIUS 4



ENERGY Series

Energy UNO 5



Energy DUE 6



Energy TRE 7



Energy Series Plant 8



XSP Series

XSP1 9



VSL Series

VSL 10



VSL H0 11



URBAN Series PRO

ARTISTIC PRO Post-top 12



ARTISTIC PRO Suspended 13



ARTISTIC PRO Rigid cord 14



CONTEMPORARY PRO Post-top 15



CIRCULAR PRO Adjustable Arm 16



CIRCULAR PRO Post-top 17



CIRCULAR PRO Suspended 18



CIRCULAR PRO Rigid cord 19



MODERN PRO Adjustable Arm 20



MODERN PRO Post-top 21



Dot. Series

Dot. energy 22



URBAN Series

Square LED 23



MINIMAL

MINIMAL 24



OUTDOOR

CFL Series

CFL Small 25



CFL Medium 26



CFL Large 27



Dot. Series

Dot. multi 28



OSQ Series

OSQ HO 29



OSQ HO - HIGH MAST 30



OSQ HO - HIGH MAST new 31



Dot. Series

Dot. fuel 32



CPY Series

CPY 33



304 Series

304 - Mount 0 34



304 - Mount R 35



304 - Mount Y 36



INDOOR

INDUSTRIA

INDUSTRIA 37



STELLAR Series

STELLAR 38




IFP Series

IFP 39



LR Series

LR22 40



IDL Series

IDL8 41



IDL9 42



ITP Series

ITP 43



IWT Series

IWT 44





SYRIUS

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. SYS-A-02-2SH-A-307-+-24-SVS-AOC-S-00 + FDL09AA0-0007

SYS	2	02	2SH	A	307	+	24	SVS	AOC	S	00
Product	Version	Mounting	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Options	Variant	Cable length
SYS	A Plug in	02 horiz/vert tenon 60mm OD	210 Type II short 1,0	A 40W	278 2700K CRI80	+ Class 1	24 220-240V	SVS Silver/ Silver	AOC Fixed Output	S Standard	00 Standard (w/o cable)
€ 461	€ 27	no adder	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder
		03 horiz/vert tenon 76mm OD	2SH Type II short		307 3000K 70CR	^ Class 2		BKB Black/ Black	DIM Dimmable 1-10V	SF Standard +Fuse	01 Exit cable 30cm
		€ 17	no adder		no adder	no adder		no adder	€ 11	on request	no adder
					308 3000K 80CRI			WHW White/ White	VML Virtual midnight Lite	N Nema	10 Exit cable 10m
					no adder			on request	€ 21	on request	€ 34
					407 4000K 70CRI			SVB Silver/ Black	DL DALI Dimmable	NF Nema +Fuse	
					no adder			€ 20	€ 21	on request	
					408 4000K CRI80			BKS Black/ Silver			
					no adder			€ 20			
									SR Sensor Ready	Z Zhaga	
									no adder	€ 42	
									VMS Virtual Midnight Full	ZF Zhaga+ Fuse	
									€ 21	€ 50	
	B								AOC Fixed Output	S Standard	
	no adder								no adder	no adder	
									DIM 1-10V Dimmable	SF Standard +Fuse	
									€ 11	on request	
									VML Virtual midnight Lite	N Nema	
									€ 21	on request	
										NF Nema +Fuse	
										on request	

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING

Portable quick reader/writer driver interface NFC - USB powered ^A	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^A - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^A	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

ADAPTER

KIT-XSP-AP60-34-G0	Fitter kit to mount to 34mm tenon	€ 16
KIT-XSP-AP60-42-G0	Fitter kit to mount to 42mm tenon	€ 16
KIT-XSP-AP60-48-G0	Fitter kit to mount to 48mm tenon	€ 16

^A consult driver manufacturer's website for programming software details

ENERGY UNO



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 15** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. TRSA-2-075-4L-407-+-A-SG-FX-S-S-00 +FXA10HA0-00001

TRSA	2	075	4L	407	+	A	SG	FX	S	S	00
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable Length
TRSA	2 horiz/vert tenon 60mm OD	K07 NanoComfort Narrow Street	2L	228 2200K CR180	+	A	SG Sapphire Grey	FX Fixed Output	S Standard	S Standard	00 No cable
	no adder	no adder	on request	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
	3 horiz/vert tenon 76mm OD	075 Narrow Street	4L	278 2700K CR180	^		SV Silver	VM Virtual Midnight	N Nema socket	SF* Standard + Fuse	01 Exit cable 1m
	€ 6	no adder	€ 308	on request	no adder		on request	no adder	on request	on request	€ 6
		K10 NanoComfort Medium Street	6L	308 3000K CR180				DL DALI		U 10kV	10 Exit cable 10m
		no adder	€ 322	no adder				on request		€ 15	€ 40
		100 Medium Street	8L	407 4000K CR170				CL Constant Lumen		UF* 10kV + Fuse	
		no adder	€ 337	no adder				no adder		on request	
		K12 NanoComfort Broad Street		577 5700K CR170				VMC Virtual Midnight + Constant Lumen			
		no adder		on request				no adder			
		125 Broad Street									
		no adder									
		150 Wide Street						FX Fixed Output	Z SR Zhaga socket		
		no adder						no adder	€ 50		
		200 Extra Wide Street						VM Virtual Midnight			
		no adder						no adder			
		SCP Street & Cycle Path						CL Constant Lumen			
		no adder						no adder			
		AFN Area Flood Narrow						VMC Virtual Midnight + Constant Lumen			
		on request						no adder			
		ARS Roto- Symmetric Area									
		no adder									
		PCR Pedestrian Cross Right									
		on request									
		PCL Pedestrian Crossing Left									
		on request									

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^a	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^a - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^a	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

^a consult driver manufacturer's website for programming software details

ADAPTER		
KIT-TRS-AP60-42-48-V0	Fitter kit to mount to 42 & 48mm tenon	€ 11
Customized Programming Option on request		€ 11

Notes

* Fuseholder with 5x20 BA rit. fuse on the input (line only)

ENERGY DUE



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 15** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. TRMA-2-075-9L-407-+-A-SG-FX-S-S-00 + FXA110A0-0001

TRMA	2	075	9L	407	+	A	SG	FX	S	S	00
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable Length
TRMA	2 horiz/vert tenon 60mm OD	K07 NanoComfort Narrow Street	9L	228 2200K CRI80	+ Class 1	A 220-240V	SG Sapphire Grey	FX Fixed Output	S Standard	S Standard	00 No cable
	no adder	no adder	€ 382	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
	3 horiz/vert tenon 76mm OD	075 Narrow Street	11L	278 2700K CRI80	^ Class 2		SV Silver	VM Virtual Midnight	N Nema socket	SF* Standard + Fuse	01 Exit cable 1m
	€ 6	no adder	€ 393	on request	no adder		on request	no adder	on request	on request	€ 6
		K10 NanoComfort Medium Street	13L	308 3000K CRI80				DL DALI		U 10kV	10 Exit cable 10m
		no adder	€ 407	no adder				on request		€ 15	€ 40
		100 Medium Street	15L	407 4000K CRI70				CL Constant Lumen		UF* 10kV + Fuse	
		no adder	€ 423	no adder				no adder		on request	
		K12 NanoComfort Broad Street		577 5700K CRI70				VMC Virtual Midnight + Constant Lumen			
		no adder		on request				no adder			
		125 Broad Street									
		no adder									
		150 Wide Street						FX Fixed Output	Z SR Zhaga socket		
		no adder						no adder	€ 50		
		200 Extra Wide Street						VM Virtual Midnight			
		no adder						no adder			
		SCP Street & Cycle Path						CL Constant Lumen			
		no adder						no adder			
		AFN Area Flood Narrow						VMC Virtual Midnight + Constant Lumen			
		on request						no adder			
		ARS Roto- Symmetric Area									
		no adder									
		PCR Pedestrian Cross Right									
		on request									
		PCL Pedestrian Crossing Left									
		on request									

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING

Portable quick reader/writer driver interface NFC - USB powered ^A	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^A - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^A	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

ADAPTER

KIT-TRS-AP60-42-48-V0	Fitter kit to mount to 42 & 48mm tenon	€ 11
Customized Programming Option on request		€ 11

Notes

* Fuseholder with 5x20 BA rit. fuse on the input (line only)

^A consult driver manufacturer's website for programming software details

ENERGY TRE



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 15** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. TRLA-2-075-19L-407-+-A-SG-FX-S-S-00 + FXA12ZA0-0001

TRLA	2	075	19L	407	+	A	SG	FX	S	S	00
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable Length
TRLA	2 horiz/vert tenon 60mm OD	K07 NanoComfort Narrow Street	19L	228 2200K CRI80	+ Class 1	A 220-240V	SG Sapphire Grey	FX Fixed Output	S Standard	S Standard	00 No cable
	no adder	no adder	€ 513	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
	3 horiz/vert tenon 76mm OD	075 Narrow Street	23L	278 2700K CRI80	^ Class 2		SV Silver	VM Virtual Midnight	N Nema socket	SF* Standard + Fuse	01 Exit cable 1m
	€ 6	no adder	€ 537	on request	no adder		on request	no adder	on request	on request	€ 6
		K10 NanoComfort Medium Street	26L	308 3000K CRI80				DL DALI		U 10kV	10 Exit cable 10m
		no adder	€ 559	no adder				on request		€ 15	€ 40
		100 Medium Street		407 4000K CRI70				CL Constant Lumen		UF* 10kV + Fuse	
		no adder		no adder				no adder		on request	
		K12 NanoComfort Broad Street		577 5700K CRI70				VMC Virtual Midnight + Constant Lumen			
		no adder		on request				no adder			
		125 Broad Street									
		no adder									
		150 Wide Street						FX Fixed Output	Z SR Zhaga socket		
		no adder						no adder	€ 50		
		200 Extra Wide Street						VM Virtual Midnight			
		no adder						no adder			
		SCP Street & Cycle Path						CL Constant Lumen			
		no adder						no adder			
		AFN Area Flood Narrow						VMC Virtual Midnight + Constant Lumen			
		on request						no adder			
		ARS Roto- Symmetric Area									
		no adder									

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^a	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^a - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^a	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

^a consult driver manufacturer's website for programming software details

ADAPTER		
KIT-TRS-AP60-42-48-V0	Fitter kit to mount to 42 & 48 mm tenon	€ 11

Customized Programming Option on request	€ 11
--	------

Notes
* Fuseholder with 5x20 BA rit. fuse on the input (line only)

ENERGY | SERIES PLANT

O N R E Q U E S T



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code.

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. TSSA-2-075-4L-407-1-24-SG-FX-X-S-00

TSSA	02	075	4L	407	1	24	SG	FX	X	S	00
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Options	Variant	Protection	Cable length
TSSA Energy UNO Impianti Serie Version A	02 horiz/vert tenon 60mm OD	075 Narrow Street	4L up to 19W	308* 3000K CRI80	^ Class 1	2 24V	SG Sapphire Grey	FX Fixed Output	X Impianti in serie raddrizzatore a bordo	S Standard	00 No Cable
	03 horiz/vert tenon 76mm OD	100 Medium Street	8L up to 40W	307 3000K CRI80	+ Class 1					K Sezionatore a coltello	01 Exit Cord 1m
		125 Comfort Street		407 4000K CRI70							
		150 Wide Street									
TSSA Energy DUE Impianti Serie Version A		200 Extra Wide Street	11L up to 55W			3 36V					
		SCP Street & Cycle Path									
		AFN Area Flood Narrow									
TSSA Energy TRE Impianti Serie Version A		ARS Roto-Symmetric Area	15L up to 84W			2 24V					
			23L up to 125W			3 36V					

ADAPTER

KIT-TRS-AP60-42-48-V0

Fitter kit to mount to 42 & 48 mm tenon

€ 11

XSP1

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 20** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. XSP-E-02-2LG-H-40K--+24-SV-FX-S-00

XSP	E	02	2LG	H	40K	+	24	SV	FX	S	00
Product	Version	Mounting	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Options	Variant	Cable length
XSP	E	02 horiz/vert tenon 60mm OD	2LG Type II long	E 94W	27K 2700K	+Class 1	24 220-240V	SV Silver	<u>Input Power E</u> FX Fixed Output	S Standard	00 Standard (w/o cable)
	no adder	no adder	no adder	€ 558	on request	no adder	no adder	no adder	no adder	no adder	no adder
		03 horiz/vert tenon 76mm OD	275 Type II short 0.75	H 63W	30K 3000K	^ Class 2			LS Lumistep	N Nema 7pin	01 Exit cable 30cm
		€ 18	no adder	€ 519	no adder	no adder			no adder	€ 54	no adder
			210 Type II short 1,0	L 67W	40K 4000K				<u>Input Power H</u> FX Fixed Output	SF Standard + Fuse	10 Exit cable 10m
			no adder	on request	no adder				no adder	on request	€ 40
			2SH Type II short		57K 5700K				LS Lumistep	NF Nema +Fuse	
			no adder		no adder				no adder	on request	
			3SH Type III short						DL DALI		
			no adder						on request		
			3ME Type III medium						CL Constant Lumen Output		
			no adder						€ 55		
			4ME Type IV medium						DC DynaDimmer + CLO		
			no adder						€ 55		
									DY DynaDimmer		
									€ 55		

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^A	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^A - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^A	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

^A consult driver manufacturer's website for programming software details

Accessory Information

ADAPTER		
KIT-XSP-AP60-34-G0	Fitter kit to mount to 34mm tenon	€ 16
KIT-XSP-AP60-42-G0	Fitter kit to mount to 42mm tenon	€ 16
KIT-XSP-AP60-48-G0	Fitter kit to mount to 48mm tenon	€ 16

Notes

Customized programming options on request	€ 11
Zhaga variant & related option available on request.	

VSL (Limited Inventory)

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. VSL-B-02-275-A-30K--+24-SV-DIM-S-01

VSL	B	02	275	A	30K	+	24	SV	DIM	S	01
Product	Version	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Options	Variant	Cable length
VSL	B	02 horiz/vert tenon 60mm OD	275 Type II short	A 30W	30K 3000K	+ Class 1	24 220-240V	SV Silver	DIM Dimmable (0-10V)	S Standard	01 Exit cable 1mt
		no adder	no adder	no adder	€ 277	no adder	no adder	no adder	no adder	no adder	no adder
		03 horiz/vert tenon 76mm OD	210 Type II short	A4 40W	40K 4000K	^ Class 2			VM Virtual midnight	N Nema 7pin	
		no adder	no adder	no adder	€ 283	no adder	no adder		no adder	€ 32	
			250 Type II short	B5 50W							
			no adder	no adder	€ 310						
				B 80W							
				no adder	€ 315						

Notes

Limited inventory available, consult factory for quick shipment items

VSL HO (Limited Inventory)



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. VSL-B-02-275-A-30K--+24-SV-DIM-S-01

Product	Version	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Options	Variant	Cable length
VSL	B	02 horiz/vert tenon 60mm OD	275 Type II short	C 120W	30K 3000K	+ Class 1	24 220-240V	SV Silver	DIM Dimmable (0-10V)	S Standard	01 Exit cable 1mt
	no adder	no adder	no adder	€ 405	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		03 horiz/vert tenon 76mm OD	210 Type II short	D 150W	40K 4000K	^ Class 2			VM Virtual midnight	N Nema 7pin	
		no adder	no adder	€ 445	no adder	no adder			no adder	€ 32	
			250 Type II short								
			no adder								

Notes

Limited inventory available, consult factory for quick shipment items

ARTISTIC PRO Post-top



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. AREA-F-K07-4L-407-+-A-BK-S-S-S-01 + S13DSF0-FX001

AREA	F	K07	4L	407	+	A	BK	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable length
AREA Artistic Eco Version A	F Post-Top	K07 NanoComfort Narrow Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Standard Exit cord 50cm
€ 585	€ 10	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		075 Narrow Street	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program		U 10kV	
		no adder	€ 30	on request	no adder		on request	on request		€ 20	
		K10 NanoComfort Medium Street	12L*	307 3000K CRI70			HB Heritage Brown			SF Fuse	
		no adder	€ 60	on request			on request			on request	
		100 Medium Street		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		K12 NanoComfort Broad Street		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		125 Broad Street									
		no adder									
ARPA Artistic Plus Version A	F Post-Top	150 Wide Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 605	€ 10	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		200 Extra Wide Street 2.00 (T4S)	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program	Z Zhaga D4i Driver	U 10kV	
		no adder	€ 30	on request	no adder		on request	on request	€ 25	€ 20	
		SCP Street & Cycle Path	12L	307 3000K CRI70			HB Heritage Brown	DL DALI		SF Fuse	
		no adder	€ 60	on request			on request	€ 25		on request	
		C12 125 Center Road		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		ABS 150 Bi-Symmetric Area		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		ARS RotoSymmetric Area(T5S)									
		no adder									

Other optics available

*Available only in Class I **Choose program from standard listed

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ⁴	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ⁴ - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ⁴	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

⁴ consult driver manufacturer's website for programming software details

Notes

Customized Programming (to be set on request)	€ 11
---	------

ARTISTIC PRO Suspended



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. AREA-9-K07-4L-407-+-A-BK-S-S-S-01 + S13DSF0-FX001

AREA	9	K07	4L	407	+	A	BK	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable length
AREA Artistic Eco Version A	9 Suspended	K07 NanoComfort Narrow Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Standard Exit cord 50cm
€ 585	no adder	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		075 Narrow Street	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program		U 10kV	
		no adder	€ 30	on request	no adder		on request	on request		€ 20	
		K10 NanoComfort Medium Street	12L*	307 3000K CRI70			HB Heritage Brown			SF Fuse	
		no adder	€ 60	on request			on request			on request	
		100 Medium Street		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		K12 NanoComfort Broad Street		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		125 Broad Street									
		no adder									
ARPA Artistic Plus Version A	9 Suspended	150 Wide Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 605	no adder	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		200 Extra Wide Street 2.00 (T4S)	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program	Z Zhaga D4i Driver	U 10kV	
		no adder	€ 30	on request	no adder		on request	on request	€ 25	€ 20	
		SCP Street & Cycle Path	12L	307 3000K CRI70			HB Heritage Brown	DL DALI		SF Fuse	
		no adder	€ 60	on request			on request	€ 25		on request	
		C12 125 Center Road		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		ABS 150 Bi-Symmetric Area		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		ARS RotoSymmetric Area(T5S)									
		no adder									

Other optics available

*Available only in Class I **Choose program from standard listed

PIVOTING CONNECTION			
AD0015S03V	ON REQUEST	AD0016S03V	ON REQUEST

ACCESSORIES FOR MOUNTING SYSTEM 9 (SUSPENDED) - ADAPTORS			
FEMALE	MALE	CONNECTION	
AD0006S03V	AD0011S03V	External thread 1" 1/8	ON REQUEST
AD0008S03V	AD0012S03V	External thread 1"	ON REQUEST
AD0009S03V	AD0013S03V	External thread 3/4"	ON REQUEST
AD0010S03V	AD0014S03V	External thread 1/2"	ON REQUEST

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^A	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^A - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^A	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

^A consult driver manufacturer's website for programming software details

Notes

Customized Programming (to be set on request)	€ 11
---	------



ARTISTIC PRO Rigid cord

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. AREA-L-K07-4L-407-+-A-BK-S-S-S-01 + S13DSF0-FX001

AREA	L	K07	4L	407	+	A	BK	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable length
AREA Artistic Eco Version A	L*** Rigid Cord	K07 NanoComfort Narrow Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 585	no adder	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		075 Narrow Street	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program		U 10kV	
		no adder	€ 30	on request	no adder		on request	on request		€ 20	
		K10 NanoComfort Medium Street	12L*	307 3000K CRI70			HB Heritage Brown			SF Fuse	
		no adder	€ 60	on request			on request			on request	
		100 Medium Street		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		K12 NanoComfort Broad Street		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		125 Broad Street									
		no adder									
ARPA Artistic Plus Version A	L*** Rigid Cord	150 Wide Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 605	no adder	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		200 Extra Wide Street 2.00 (T4S)	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program	Z Zhaga D4i Driver	U 10kV	
		no adder	€ 30	on request	no adder		on request	on request	€ 25	€ 20	
		SCP Street & Cycle Path	12L	307 3000K CRI70			HB Heritage Brown	DL DALI		SF Fuse	
		no adder	€ 60	on request			on request	€ 25		on request	
		C12 125 Center Road		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		ABS 150 Bi-Symmetric Area		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		ARS RotoSymmetric Area(T5S)									
		no adder									

Other optics available

*Available only in Class I **Choose program from standard listed

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING

Portable quick reader/writer driver interface NFC - USB powered ⁴	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ⁴ - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ⁴	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

⁴ consult driver manufacturer's website for programming software details

***MOUNTING "L" TO BE COMPLETED WITH DEDICATED BRACKET

PM-L/URB/A2-GR	Rigid cord bracket AISI304	€ 119
----------------	----------------------------	-------

Notes

Customized Programming (to be set on request)	€ 11
---	------

CONTEMPORARY PRO Post-top



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. CNEA-F-K07-4L-407-+-A-BK-S-S-S-01 + S13DSF0-FX001

CNEA	F	K07	4L	407	+	A	BK	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable length
CNEA Contemporary Eco Version A	F Post-Top	K07 NanoComfort Narrow Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 725	no adder	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		075 Narrow Street	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program		U 10kV	
		no adder	€ 30	on request	no adder		on request	on request		€ 20	
		K10 NanoComfort Medium Street	12L*	307 3000K CRI70			HB Heritage Brown			SF Fuse	
		no adder	€ 60	on request			on request			on request	
		100 Medium Street		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		K12 NanoComfort Broad Street		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		125 Broad Street									
		no adder									
		150 Wide Street									
		no adder									
		200 Extra Wide Street 2.00 (T4S)									
		no adder									
		SCP Street & Cycle Path									
		no adder									
		C12 125 Center Road									
		no adder									
		ABS 150 Bi-Symmetric Area									
		no adder									
		ARS RotoSymmetric Area(T5S)									
		no adder									

Other optics available

*Available only in Class I **Choose program from standard listed

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^A	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^A - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^A	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

^A consult driver manufacturer's website for programming software details

Notes

Customized Programming (to be set on request)	€ 11
---	------

CIRCULAR PRO Adjustable Arm



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. CREA-3-K07-4L-407-+-A-BK-S-S-S-01 + S13DSF0-FX001

CREA	3	K07	4L	407	+	A	BK	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable length
CREA Circular Eco Version A	3 Adjustable Arm	K07 NanoComfort Narrow Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 640	€ 45	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		075 Narrow Street	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program		U 10kV	
		no adder	€ 30	on request	no adder		on request	on request		€ 20	
		K10 NanoComfort Medium Street	12L*	307 3000K CRI70			HB Heritage Brown			SF Fuse	
		no adder	€ 60	on request			on request			on request	
		100 Medium Street		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		K12 NanoComfort Broad Street		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		125 Broad Street									
		no adder									
CRPA Circular Plus Version A	3 Adjustable Arm	150 Wide Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 660	€ 45	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		200 Extra Wide Street 2.00 (T4S)	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program	Z Zhaga D4i Driver	U 10kV	
		no adder	€ 30	on request	no adder		on request	on request	€ 25	€ 20	
		SCP Street & Cycle Path	12L	307 3000K CRI70			HB Heritage Brown	DL DALI		SF Fuse	
		no adder	€ 60	on request			on request	€ 25		on request	
		C12 125 Center Road		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		ABS 150 Bi-Symmetric Area		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		ARS RotoSymmetric Area(T5S)									
		no adder									

Other optics available

*Available only in Class I **Choose program from standard listed

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^a	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^a - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^a	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

Notes

Customized Programming (to be set on request)	€ 11
---	------

^a consult driver manufacturer's website for programming software details

CIRCULAR PRO Post-top



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. CREA-F-K07-4L-407-+-A-BK-S-S-S-01 + S13DSF0-FX001

CREA	F	K07	4L	407	+	A	BK	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable length
CREA Circular Eco Version A	F Post-Top	K07 NanoComfort Narrow Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 640	€ 155	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		075 Narrow Street	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program		U 10kV	
		no adder	€ 30	on request	no adder		on request	on request		€ 20	
		K10 NanoComfort Medium Street	12L*	307 3000K CRI70			HB Heritage Brown			SF Fuse	
		no adder	€ 60	on request			on request			on request	
		100 Medium Street		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		K12 NanoComfort Broad Street		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		125 Broad Street									
		no adder									
CRPA Circular Plus Version A	F Post-Top	150 Wide Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 660	€ 155	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		200 Extra Wide Street 2.00 (T4S)	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program	Z Zhaga D4i Driver	U 10kV	
		no adder	€ 30	on request	no adder		on request	on request	€ 25	€ 20	
		SCP Street & Cycle Path	12L	307 3000K CRI70			HB Heritage Brown	DL DALI		SF Fuse	
		no adder	€ 60	on request			on request	€ 25		on request	
		C12 125 Center Road		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		ABS 150 Bi-Symmetric Area		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		ARS RotoSymmetric Area(T5S)									
		no adder									

Other optics available

*Available only in Class I **Choose program from standard listed

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^A	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^A - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^A	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

^A consult driver manufacturer's website for programming software details

Notes

Customized Programming (to be set on request)	€ 11
---	------

CIRCULAR PRO Suspended

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. CREA-9-K07-4L-407-+-A-BK-S-S-S-01 + S13DSF0-FX001

CREA	9	K07	4L	407	+	A	BK	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable length
CREA Circular Eco Version A	9 Suspended	K07 NanoComfort Narrow Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 640	no adder	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		075 Narrow Street	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program		U 10kV	
		no adder	€ 30	on request	no adder		on request	on request		€ 20	
		K10 NanoComfort Medium Street	12L*	307 3000K CRI70			HB Heritage Brown			SF Fuse	
		no adder	€ 60	on request			on request			on request	
		100 Medium Street		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		K12 NanoComfort Broad Street		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		125 Broad Street									
		no adder									
CRPA Circular Plus Version A	9 Suspended	150 Wide Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 660	no adder	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		200 Extra Wide Street 2.00 (T4S)	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program	Z Zhaga D4i Driver	U 10kV	
		no adder	€ 30	on request	no adder		on request	on request	€ 25	€ 20	
		SCP Street & Cycle Path	12L	307 3000K CRI70			HB Heritage Brown	DL DALI		SF Fuse	
		no adder	€ 60	on request			on request	€ 25		on request	
		C12 125 Center Road		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		ABS 150 Bi-Symmetric Area		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		ARS RotoSymmetric Area(T5S)									
		no adder									

Other optics available

*Available only in Class I **Choose program from standard listed

PIVOTING CONNECTION			
AD0015S03V	ON REQUEST	AD0016S03V	ON REQUEST

ACCESSORIES FOR MOUNTING SYSTEM 9 (SUSPENDED) - ADAPTORS			
FEMALE	MALE	CONNECTION	
AD0006S03V	AD0011S03V	External thread 1" 1/8	ON REQUEST
AD0008S03V	AD0012S03V	External thread 1"	ON REQUEST
AD0009S03V	AD0013S03V	External thread 3/4"	ON REQUEST
AD0010S03V	AD0014S03V	External thread 1/2"	ON REQUEST

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^a	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^a - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^a	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

Notes

Customized Programming (to be set on request)	€ 11
---	------

^a consult driver manufacturer's website for programming software details

CIRCULAR PRO Rigid cord

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. CREA-L-K07-4L-407-+-A-BK-S-S-S-01 + S13DSF0-FX001

CREA	L	K07	4L	407	+	A	BK	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable length
CREA Circular Eco Version A	L*** Rigid Cord	K07 NanoComfort Narrow Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 640	no adder	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		075 Narrow Street	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program		U 10kV	
		no adder	€ 30	on request	no adder		on request	on request		€ 20	
		K10 NanoComfort Medium Street	12L*	307 3000K CRI70			HB Heritage Brown			SF Fuse	
		no adder	€ 60	on request			on request			on request	
		100 Medium Street		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		K12 NanoComfort Broad Street		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		125 Broad Street									
		no adder									
CRPA Circular Plus Version A	L*** Rigid Cord	150 Wide Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 660	no adder	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		200 Extra Wide Street 2.00 (T4S)	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program	Z Zhaga D4i Driver	U 10kV	
		no adder	€ 30	on request	no adder		on request	on request	€ 25	€ 20	
		SCP Street & Cycle Path	12L	307 3000K CRI70			HB Heritage Brown	DL DALI		SF Fuse	
		no adder	€ 60	on request			on request	€ 25		on request	
		C12 125 Center Road		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		ABS 150 Bi-Symmetric Area		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		ARS RotoSymmetric Area(T5S)									
		no adder									

Other optics available

*Available only in Class 1 **Choose program from standard listed

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^a	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^a - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^a	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

***MOUNTING "L" TO BE COMPLETED WITH DEDICATED BRACKET		
PM-L/URB/A2-GR	Rigid cord bracket AISI304	€ 119

Notes

Customized Programming (to be set on request)	€ 11
---	------

^a consult driver manufacturer's website for programming software details

MODERN PRO Adjustable Arm



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. MDEA-3-K07-4L-407-+-A-BK-S-S-S-01 + S13DSF0-FX001

MDEA	3	K07	4L	407	+	A	BK	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable length
MDEA Modern Eco Version A	3 Adjustable Arm	K07 NanoComfort Narrow Street	4L	228 2200K CRI80	+	A	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 640	€ 45	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		075 Narrow Street	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program		U 10kV	
		no adder	€ 30	on request	no adder		on request	on request		€ 20	
		K10 NanoComfort Medium Street	12L*	307 3000K CRI70			HB Heritage Brown			SF Fuse	
		no adder	€ 60	on request			on request			on request	
		100 Medium Street		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		K12 NanoComfort Broad Street		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		125 Broad Street									
		no adder									
MDPA Modern Plus Version A	3 Adjustable Arm	150 Wide Street	4L	228 2200K CRI80	+	A	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 660	€ 45	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		200 Extra Wide Street 2.00 (T4S)	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program	Z Zhaga D4i Driver	U 10kV	
		no adder	€ 30	on request	no adder		on request	on request	€ 25	€ 20	
		SCP Street & Cycle Path	12L	307 3000K CRI70			HB Heritage Brown	DL DALI		SF Fuse	
		no adder	€ 60	on request			on request	€ 25		on request	
		C12 125 Center Road		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		ABS 150 Bi-Symmetric Area		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		ARS RotoSymmetric Area(T5S)									
		no adder									

Other optics available

*Available only in Class I **Choose program from standard listed

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^a	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^a - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^a	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

Notes

Customized Programming (to be set on request)	€ 11
---	------

^a consult driver manufacturer's website for programming software details

MODERN PRO Post-top



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code. 10

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. MDEA-F-K07-4L-407-+-A-BK-S-S-S-01 + S13DSF0-FX001

MDEA	F	K07	4L	407	+	A	BK	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable length
MDEA Modern Eco Version F	F Post-Top	K07 NanoComfort Narrow Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 640	€ 140	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		075 Narrow Street	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program		U 10kV	
		no adder	€ 30	on request	no adder		on request	on request		€ 20	
		K10 NanoComfort Medium Street	12L*	307 3000K CRI70			HB Heritage Brown			SF Fuse	
		no adder	€ 60	on request			on request			on request	
		100 Medium Street		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		K12 NanoComfort Broad Street		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		125 Broad Street									
		no adder									
MDPA Modern Plus Version A	F Post-Top	150 Wide Street	4L	228 2200K CRI80	+ Class 1	A 220-240V	BK Black	S** Standard Program	S No socket/ No Sensor	S By driver	01 Exit cord 50cm w/o connector
€ 660	€ 140	no adder	no adder	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		200 Extra Wide Street 2.00 (T4S)	8L	278 2700K CRI80	^ Class 2		CI Classic Ivory	C Custom Program	Z Zhaga D4i Driver	U 10kV	
		no adder	€ 30	on request	no adder		on request	on request	€ 25	€ 20	
		SCP Street & Cycle Path	12L	307 3000K CRI70			HB Heritage Brown	DL DALI		SF Fuse	
		no adder	€ 60	on request			on request	€ 25		on request	
		C12 125 Center Road		308 3000K CRI80			BG Brutalist Grey			UF Fuse+10kV	
		no adder		no adder			on request			on request	
		ABS 150 Bi-Symmetric Area		407 4000K CRI70			LG Landscape Green				
		no adder		no adder			on request				
		ARS RotoSymmetric Area(T5S)									
		no adder									

Other optics available

*Available only in Class I **Choose program from standard listed

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^A	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^A - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^A	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

^A consult driver manufacturer's website for programming software details

Notes

Customized Programming (to be set on request)	€ 11
---	------

Dot. energy

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 15** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. KTEA-S-K07-4L-407-+-A-WH-S-S-S-01 + S13DSF0-FX001

KTEA	S	K07	4L	407	+	A	SG	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable Length
KTEA Dot. ENERGY ECO Version A	S No Mount IP66	K07 NanoComfort Narrow Street	4L	228 2200K CRI80	+	A 220-240V	WH White	S Standard Program	S No Socket / No sensor	S By Driver	01 Exit cable 50cm
	no adder	no adder	€ 185	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		075 Narrow Street	8L	278 2700K CRI80	^			C** Custom program			
		no adder	€ 215	on request	no adder			on request			
		K10 NanoComfort Medium Street	12L*	308 3000K CRI80							
		no adder	€ 245	no adder							
		100 Medium Street		307 3000K CRI70							
		no adder		on request							
		K12 NanoComfort Broad Street		407 4000K CRI70							
		no adder		no adder							
KTPA*** Dot. Energy Plus Version A	S No Mount IP20	125 Broad Street	4L	228 2200K CRI80	+	A 220-240V	WH White	S Standard Program	S No Socket / No sensor	S By Driver	01 Exit cable 50cm
	no adder	no adder	€ 200	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
	P No Mount with IP BOX	150 Wide Street	8L	278 2700K CRI80	^			C** Custom program	Z Zhaga D4i Driver	U 10kV	
	€ 20	no adder	€ 230	on request	no adder			on request	€ 25	€ 20	
		SCP Street & Cycle Path	12L	308 3000K CRI80				DL DALI		SF Fuse	
		no adder	€ 260	no adder				€ 25		on request	
		C12 125 Center Road		307 3000K CRI70						UF Fuse+10kV	
		no adder		on request						on request	
		ABS 150 Bi-Symmetric Area		407 4000K CRI70							
		no adder		no adder							

*Available only in Class I **Choose program from Standard listed ***Suitable for lanterns with IP>55 Mounting "P" is recommended for lower IP rated to protect the driver and the external sockets

Other optics available

Accessory Information

KIT REFITTING LANTERN		
KT-REF-SQ-STD-#****-WH	Standard Square Plate 330x330 mm	€ 35
KT-REF-CR-STD-#****-WH	Standard Round Plate ø330 mm	€ 45
KT-REF-SQ-###-#****-##	Custom Square Plate	On-Request
KT-REF-CR-###-#****-##	Custom Round Plate	On-Request

****Choose S or Z for standard or Zhaga variant.

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^A	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^A - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^A	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

Accessory Information

KIT CONNECTOR		
KT-IP68 CONNECTOR-1WAY-B701-ZOR	IP68 1 way T Connector	€ 7
KIT PROTECTION		
KT-KIT-IP66-U+10	Kit IP66 Protection - SPD class I 10kV	€ 40
KT-KIT-IP66-U^10	Kit IP66 Protection - SPD class II 10kV	€ 40
KT-KIT-IP66-U+10-F	Kit IP66 Protection - SPD 10kV Class I + Fuse	€ 46
KT-KIT-IP66-U^10-F	Kit IP66 Protection - SPD 10kV Class II + Fuse	€ 46
KT-KIT-IP66-F	Kit IP66 Protection - Fuse	€ 30

Notes

Customized Programming (to be set on request)	€ 11
---	------

Square LED (Limited Inventory)



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. SMI-E-2LG-A-30K-+-24-WH-FA-S-01

SMI	E	2LG	A	30K	+	24	WH	FA	S	01
Product	Version	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Options	Variant	Cable length
SMI	E	2LG Type II long	A 45W	27K 2700K	+	24 220-240V	WH White	FA Field Adjustable Output	S Standard	01 Exit cable 50cm (w/connector)
		no adder	€ 456	on request	no adder	no adder	on request	no adder	no adder	no adder
		275 Type II short 0.75		30K 3000K	^		BK Black	VM Virtual Midnight	F Fuse	
		no adder		no adder	no adder	no adder	no adder	no adder	on request	no adder
		210 Type II short 1,0		40K 4000K			SV Silver			
		no adder		no adder		on request				
		2SH Type II short		57K 5700K			BZ Bronze			
		no adder		no adder		on request				
		3SH Type III short	B 63W	27K 2700K	+	24 220-240V	WH White	FX Fixed Output	S Standard	01 Exit cable 50cm (w/connector)
		no adder	€ 530	on request	no adder	no adder	on request	no adder	no adder	no adder
		3ME Type III medium		30K 3000K	^		BK Black	DM Dimmable 1-10V	U 10kV	
		no adder		no adder	no adder	no adder	no adder	€ 18	€ 15	no adder
		4ME Type IV medium		40K 4000K			SV Silver	DQ Field adjustable dimming	SF Standard + Fuse	
		no adder		no adder		on request	BZ Bronze	DL DALI	UF 10kV + Fuse	
		5ME* Type V medium		57K 5700K			on request	on request	on request	
no adder		no adder				DY Dynadimmer				
5SH* Type V short						€ 18				
no adder						CL Constant Lumen Output				
						€ 18				

STANDARD

HIGH OUTPUT

Accessory Information

MOUNTING OPTIONS - Must be ordered separate from the luminaire		
SMI-WM	Wall mount (Black finish)	€ 43
SMI-ADJ*	Adjustable arm (OD 60mm)	€ 54
SMI-YM*	Yoke mount	€ 43

Notes

Zhaga variant & related option available on request.	
Customized programming options on request	€ 11
*Not available in 27K and 57K	

MINIMAL

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. UMNA-2-150-5L-307-^-A-SV-FX-S-S-01

UMNA	2	150	5L	307	^	A	SV	FX	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Options	Variant	Protection	Cable length
UMNA	2	150 Wide Street	3L 22W	307 30K CRI70	^ Class 2	A 220-240V	BK Black	FX Fixed Output	S	S Standard	01 Exit cable 50cm (without connector)
	no adder	no adder	€ 390	no adder	€ 38	no adder	no adder	no adder	no adder	no adder	no adder
	3	200 Extra Wide Street	5L 40W	407 40K CRI70	+ Class 1	B 100-240V		DL* DALI		SF** Standard + Fuse	
	€ 8	no adder	€ 402	no adder	no adder	no adder		on request		on request	
		ABS Bi-Symmetric Area	8L 60W					VM Virtual Midnight		U*** 10kV	
		no adder	€ 440					no adder		€ 19	
			10L 75W					CL Constant Lumen		UF*** 10kV + Fuse	
			€ 453					no adder		on request	
								VMC Virtual Midnight+ Constant lumen			
								no adder			

Notes

Limited inventory available, consult factory for quick shipment items
*Not available for CL. I
**Fuseholder with 5x20 8A rit. fuse on the input (line only)
***Not available for Class II 8L and 10L

CFL Small

● **4/6 weeks** - Stock Item & Made from Stock ● **6/12 weeks** - Made to Order ● **12/18 weeks** - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. CFL-B-ASM-A-40K--+24-BK-FX-01

CFL	B	ASM	A	40K	+	24	BK	FX	01
Product	Version	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Options	Cable length
CFL	B	ASM Asymmetric	A 40W	30K Ra70	+ Class 1	24 220-240V	BK Black	FX Fixed Output	01 Exit cable 50cm
	no adder	no adder	€ 199	on request	no adder	no adder	no adder	no adder	no adder
		WFL Wide Flood	B 80W	40K Ra70				DL DALI Dimmable	
		no adder	€ 260	no adder				€ 54	
		30 Flood 30°						VM Virtual midnight	
		no adder						€ 35	
		15 Spot 15°							
		no adder							
		275 Type II Short							
		no adder							

CFL Medium

● **4/6 weeks** - Stock Item & Made from Stock ● **6/12 weeks** - Made to Order ● **12/18 weeks** - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. CFL-B-ASM-A-40K-+-24-BK-FX-01

CFL	B	ASM	A	40K	+	24	BK	FX	01
Product	Version	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Options	Cable length
CFL	B	ASM Asymmetric	C 100W	30K Ra70	+ Class 1	24 220-240V	BK Black	FX Fixed Output	01 Exit cable 50cm
	no adder	no adder	€ 270	on request	no adder	no adder	no adder	no adder	no adder
		WFL Wide Flood	D 150W	40K Ra70				DL DALI Dimmable	
		no adder	€ 348	no adder				€ 54	
		30 Flood 30°						VM Virtual midnight	
		no adder						€ 35	
		15 Spot 15°							
		no adder							
		275 Type II Short							
		no adder							

CFL Large

● **4/6 weeks** - Stock Item & Made from Stock ● **6/12 weeks** - Made to Order ● **12/18 weeks** - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. CFL-B-ASM-A-40K-+-24-BK-FX-01

CFL	B	ASM	A	40K	+	24	BK	FX	01
Product	Version	Optic	Input Power	CCT	Insulation Class	Voltage	Finish	Options	Cable length
CFL	B	ASM Asymmetric	E 200W	30K Ra70	+ Class 1	24 220-240V	BK Black	FX Fixed Output	01 Exit cable 50cm
	no adder	no adder	€ 421	on request	no adder	no adder	no adder	no adder	no adder
		WFL Wide Flood	F 250W	40K Ra70				DL DALI Dimmable	
		no adder	€ 469	no adder				€ 54	
		30 Flood 30°						VM Virtual midnight	
		no adder						€ 35	
		15 Spot 15°							
		no adder							
		275 Type II Short							
		no adder							

Dot. multi

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 15** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. KTEA-S-K07-4L-407-+-A-WH-S-S-S-01 + S13DSF0-FX001

KTEA	S	K07	4L	407	+	A	SG	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable Length
KTEA Dot. Multi ECO Version A	S No Mount IP66	K07 NanoComfort Narrow Street	4L	308 3000K CR180	+ Class 1	A 220-240V	WH White	S Standard Program	S No Socket / No sensor	S By Driver	01 Exit cable 50cm
	no adder	no adder	€ 185	no adder	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		075 Narrow Street	8L	407 4000K CR170	^ Class 2			C** Custom program			
		no adder	€ 215	no adder	no adder			on request			
		K10 NanoComfort Medium Street	12L*								
		no adder	€ 245								
		100 Medium Street									
		no adder									
		K12 NanoComfort Broad Street									
		no adder									
KTPA Dot. Multi Plus Version A	P No Mount with IP BOX	125 Broad Street	4L	308 3000K CR180	+ Class 1	A 220-240V	WH White	S Standard Program	S No Socket / No sensor	S By Driver	01 Exit cable 50cm
	no adder	no adder	€ 200	no adder	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		150 Wide Street	8L	407 4000K CR170	^ Class 2			C** Custom program	Z Zhaga D4i Driver	U 10kV	
		no adder	€ 230	no adder	no adder			on request	€ 25	€ 20	
		SCP Street & Cycle Path	12L					DL DALI		SF Fuse	
		no adder	€ 260					€ 25		on request	
		C12 125 Center Road								UF Fuse+10kV	
		no adder								on request	
		ABS 150 Bi-Symmetric Area									
		no adder									

*Available only in Class I **Choose program from Standard listed

Other optics available

Accessory Information

MOUNTING KIT MULTI		
KT-KIT-MLT (Only ECO)	Kit Multi bracket in Stainless Steel for Ceiling/busway	€ 60
KT-KIT-ADJ	Kit C bracket adjustable in Stainless Steel	€ 60
KT-KIT-FRM-WH	Kit Beauty Frame	€ 30

Accessory Information

INTERFACE TOOL PER DRIVER PROGRAMMING	
Portable quick reader/writer driver interface NFC - USB powered ^a	€ 1.080
Portable quick reader/writer driver interface NFC suitable for small space ^a - main powered	€ 1.080
Bench type quick reader/writer driver interface NFC - main powered ^a	€ 864
Portable quick reader/writer driver interface NFC Bluetooth/Battery powered	€ 1.296

Accessory Information

KIT CONNECTOR		
KT-IP68 CONNECTOR-1WAY-B701-20R	IP68 1 way T Connector	€ 7
KIT PROTECTION		
KT-KIT-IP66-U+10	Kit IP66 Protection - SPD class I 10kV	€ 40
KT-KIT-IP66-U^10	Kit IP66 Protection - SPD class II 10kV	€ 40
KT-KIT-IP66-U+10-F	Kit IP66 Protection - SPD 10kV Class I + Fuse	€ 46
KT-KIT-IP66-U^10-F	Kit IP66 Protection - SPD 10kV Class II + Fuse	€ 46
KT-KIT-IP66-F	Kit IP66 Protection - Fuse	€ 30

Notes

Customized Programming (to be set on request)	€ 11
---	------

^a consult driver manufacturer's website for programming software details


OSQ HO Adjustable & Direct Arm

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. OSQ-HO-E-NM-210-45L-30K-+-24-SV-DIM-S

OSQ-HO	E	NM	210	45L	30K	+	24	SV	DIM	S
Product	Version	Mounting	Optic*	Input Power	CCT	Insulation Class	Voltage	Finish	Options	Variant
OSQ-HO	E	NM No mount	210 Type II short	45L	30K 3000K - 70 CRI	+	24 220-240V	SV Silver	DIM Dimmable 1-10V	S Standard
		no adder	no adder	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		€ 2.011	2SH Type III short	65L	40K 4000K - 70 CRI		12 120-240V	BK Black	Q Field Adjustable Output	F Fuse
			no adder	€ 549	no adder		no adder	on request	€ 18	on request
			3ME Type III medium		57K 5700K - 70 CRI			BZ Bronze	X X# Option	N Nema 7 pin longjoin
			no adder		no adder			on request	€ 49	€ 52
			4ME Type IV medium		50K 5000K - 90 CRI			WH White	DL DALI Dimmable	
			no adder		€ 13			on request	€ 18	
			2ME Type II medium							
			no adder							
			5SH Type V short							
			no adder							
			15D 15° Flood							
			no adder							
			25D 25° Flood							
			no adder							
			40D 40° Flood							
			no adder							
			5ME Type V medium							
			no adder							

ASYMMETRIC

SYMMETRIC

*Other optics available [AF(Automotive Frontline Optic) - WSN(Wide Sign) -60 (60° Flood)-120 (120° Flood)].

Accessory Information

ACCESSORIES FOR "NM" MOUNTING (cannot be purchased separately)		
OSQ-HO-DA	Direct arm	€ 122
OSQ-HO-CE-AB	Adjustable bracket	€ 184

Color options to select: WH White BK Black SV Silver BZ Bronze

BACKLIGHT SHIELDS		
OSQ-HO-BLSF	Backlight Shield Front Facing Optics	€ 22
OSQ-HO-BLSR	Backlight shield rotated optics	€ 22

ACCESSORY HIGH-MAST TO BE COMBINED WITH ADJUSTABLE BRACKET		
TF-OSQ-HO-CE-BRL-L800	Bracket suitable for double circle crown 800mm	ON REQUEST
TF-OSQ-HO-CE-BRL-L1000	Bracket suitable for double circle crown 1000mm	ON REQUEST
TF-OSQ-HO-CE-BRL-L1240	Bracket suitable for double circle crown 1240mm	ON REQUEST
TF-OSQ-HO-CE-OML-50x50	Fixing Kit Bracket (include 2 Omega)	ON REQUEST
TF-OSQ-HO-CE-OML-60x60	Fixing Kit Bracket (include 2 Omega)	ON REQUEST
TF-OSQ-HO-CE-OML-100x100	Fixing Kit Bracket (include 2 Omega)	ON REQUEST
TF-OSQ-HO-CE-ATR-50x50	Fixing plate for straights square metal profiles	ON REQUEST
TF-OSQ-HO-CE-ATR-60x60	Fixing plate for straights square metal profiles	ON REQUEST
TF-OSQ-HO-CE-ATR-100x100	Fixing plate for straights square metal profiles	ON REQUEST
TF-OSQ-HO-CE-ATI-50x50	Fixing plate for crossed square metal profiles	ON REQUEST
TF-OSQ-HO-CE-ATI-60x60	Fixing plate for crossed square metal profiles	ON REQUEST
TF-OSQ-HO-CE-ATI-100x100	Fixing plate for crossed square metal profiles	ON REQUEST

OSQ HO HIGH MAST



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. OSQ-HO-E-HM-210-45L-30K-+-24-SV-DIM-S-&S + OSQ-HO-CE-HM

OSQ-HO	E	HM	210	45L	30K	+	24	SV	DIM	S-&S
Product	Version	Mounting	Optic*	Input Power	CCT	Insulation Class	Voltage	Finish	Options	Variant
OSQ-HO	E	HM High-mast	210 Type II short 1.0	45L	30K 3000K - 70 CRI	+ Class 1	24 220-240V	SV Silver	DIM Dimmable 1-10V	S-&S Standard
	no adder	€ 2.197	no adder	no adder	no adder	no adder	no adder	no adder	no adder	no adder
			2SH Type III short	65L	40K 4000K - 70 CRI		12 120-240V	BK Black	Q Field Adjustable Output	F-&S Fuse
			no adder	€ 549	no adder		no adder	on request	€ 18	on request
			3ME Type III medium		57K 5700K - 70 CRI			BZ Bronze	X X# Option	N-&S Nema 7 pin longjoin
			no adder		no adder			on request	€ 49	€ 52
			4ME Type IV medium		50K 5000K - 90 CRI			WH White	DL DALI Dimmable	
			no adder		€ 13			on request	€ 18	
			2ME Type II medium							
			no adder							
			5SH Type V short							
			no adder							
			15D 15° Flood							
			no adder							
			25D 25° Flood							
			no adder							
			40D 40° Flood							
			no adder							
			5ME Type V medium							
			no adder							

ASYMMETRIC

SYMMETRIC


*Other optics available [AF(Automotive Frontline Optic) - WSN(Wide Sign) -60 (60° Flood)-120 (120° Flood)].

Accessory Information

ACCESSORIES FOR "HM" MOUNTING (mandatory accessory)		
OSQ-HO-CE-HM	Standard C Bracket	€ 273

BACKLIGHT SHIELDS		
OSQ-HO-BLSF	Backlight Shield Front Facing Optics	€ 22
OSQ-HO-BLSR	Backlight shield rotated optics	€ 22

OSQ HO HIGH MAST | Full range



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. OSQ-HO-E-HM-210-45L-30K-+-24-SV-DIM-S+ OSQ-HO-CE-HM-FR

OSQ-HO	E	HM	210	45L	30K	+	24	SV	DIM	S
Product	Version	Mounting	Optic*	Input Power	CCT	Insulation Class	Voltage	Finish	Options	Variant
OSQ-HO	E	HM High-mast	210 Type II short 1.0	45L	30K 3000K - 70 CRI	+	24 220-240V	SV Silver	DIM Dimmable 1-10V	S Standard
	no adder	€ 2.197	no adder	no adder	no adder	no adder	no adder	no adder	no adder	no adder
			2SH Type III short	65L	40K 4000K - 70 CRI		12 120-240V	BK Black	Q Field Adjustable Output	F Fuse
			no adder	€ 549	no adder		no adder	on request	€ 18	on request
			3ME Type III medium		57K 5700K - 70 CRI			BZ Bronze	X X# Option	N Nema 7 pin longjoin
			no adder		no adder			on request	€ 49	€ 52
			4ME Type IV medium		50K 5000K - 90 CRI			WH White	DL DALI Dimmable	
			no adder		€ 13			on request	€ 18	
			5SH Type V short							
			no adder							
			15D 15° Flood							
			no adder							
			25D 25° Flood							
			no adder							
			40D 40° Flood							
			no adder							

ASYMMETRIC

SYMMETRIC


*Other optics available [AF(Automotive Frontline Optic) - WSN(Wide Sign) -60 (60° Flood)-120 (120° Flood)].

Accessory Information

ACCESSORIES FOR "HM" MOUNTING (mandatory accessory)		
OSQ-HO-CE-HM-FR	Full Range C bracket	€ 466

BACKLIGHT SHIELDS		
OSQ-HO-BLSF	Backlight Shield Front Facing Optics	€ 22
OSQ-HO-BLSR	Backlight shield rotated optics	€ 22

Dot.fuel



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 15** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. KTEA-S-PA-8L-407--A-WH-S-S-01 + S13HSA0-FX001

KTEA	S	PA	8L	407	+	A	WH	S	S	S	01
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable Length
KTEA Dot. fuel ECO Version A	S No-Mount IP66	PA Petroleum Asymmetric	8L	407 4000K CRI70	+	A 220-240V	WH White	S Standard	S No Socket/ No sensor	S By Driver	01 Exit cable 50cm
	no adder	no adder	€ 240	no adder	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		PS Petroleum Asymmetric	12L	577 5700K CRI70							
		no adder	€ 270	no adder							
		60 60 Flood									
		no adder									
KTPA Dot. fuel Plus Version A	P No-Mount with IP BOX		8L	407 4000K CRI70	+	A 220-240V	WH White	S Standard	S No socket/ No Sensor	S By Driver	01 Exit cable 50cm
	no adder	€ 20	€ 255	no adder	no adder	no adder	no adder	no adder	no adder	no adder	no adder
			12L	577 5700K CRI70				DL DALI	Z No socket/ No Sensor	U 10kV	
			€ 285	no adder				€ 25	€ 25	€ 20	

Accessory Information

KIT CONNECTOR		
KT-IP68 CONNECTOR-1WAY-B701-20R	IP68 1 way T Connector	€ 7
KT-IP68 CONNECTOR-2WAY-B701T-30R	IP68 2 way T Connector	€ 14
KIT PROTECTION FOR KTEA		
KT-KIT-IP66-U+10	Kit IP66 Protection - SPD class I 10kV	€ 40
KT-KIT-IP66-U*10	Kit IP66 Protection - SPD class II 10kV	€ 40
KT-KIT-IP66-U+10-F	Kit IP66 Protection - SPD 10kV Class I + Fuse	€ 46
KT-KIT-IP66-U*10-F	Kit IP66 Protection - SPD 10kV Class II + Fuse	€ 46
KT-KIT-IP66-F	Kit IP66 Protection - Fuse	€ 30

MOUNTING KIT		
KT-PTR-SQ-#*-WH	Mounting Kit for New Installation	€ 40
KT-PTR-SQ2-#*-WH	Mounting Kit for New Installation Double	€ 80
KT-PTR-SQ450-#*-WH	Refitting Petrol Plate 450x450 mm	€ 80
KT-PTR-SQ600-#*-WH	Refitting Petrol Plate 600x600 mm	€ 120
KT-PTR-RKT304-450-#*-WH	Mounting plate for 304/CPY retrofit kit RTF-RCS 450x450 mm	€ 80

*Choose S or Z for standard or Zhaga variant.



CPY

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 15** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. XCCBDA+4SYU7

XCC	B	0	A	A	+	4	S	Y	U	7
Product	Version	Mounting	Optic	Input Power	Insulation Class	Voltage	Finish	Options	Surge	Color Temp
XCC	B	0 Direct	A Flat lens	A 65W	+	4 220-240V	S Silver	No code Fixed Output	No code 6kV surge suppressor	No code 5700K
	no adder	no adder	no adder	€ 564	no adder	no adder	on request	no adder	no adder	no adder
			D Drop lens	B 94W			T Black	Y 1-10V Dimming - Control by others	U 10kV surge suppressor	7 4000K
			€ 22	€ 594			on request	€ 44	€ 18	no adder
				E 140W			Z Bronze	E* Sensor with remote control - Flux dimming with occupancy sensor with remote control		
				€ 702			on request			
							W White (Standard)			
							no adder	€ 157		
							B Silver Bronze			
							on request			

Accessory Information

DIRECT MOUNT - BEAUTY PLATE		
Metal plate for replacing surface-mounted HID luminaires.		
XA-BXCCBPW	665mm Beauty Plate	ON REQUEST
XA-BXCCBPB12W	Beauty Plate w/ 305mm Backer	ON REQUEST
XA-BXCCBPB16W	Beauty Plate w/ 406mm Backer	ON REQUEST

Accessory Information

HAND-HELD REMOTE		
XA-SENSREM	For successful implementation of the programmable multi-level option, a minimum of one hand-held remote is required.	ON REQUEST

RECESSED OR SURFACE/BUSWAY MOUNT - ACCESSORY KIT		
RTF-RCS-A0-CPY	(Retrofit kit for recessed mounting)	€ 98
PM-BCPY-I-R0	(Kit for surface/busway mounting) Stainless steel kit	€ 35
PM-BCPY-V-R0	(Kit for surface/busway mounting) Galvanized sheet kit	€ 25

Notes

* Option E must be ordered together with option "U" - Configurable only via XA-SENSREM

304 Series™ Mount 0



● **4/6 weeks** - Stock Item & Made from Stock ● **6/12 weeks** - Made to Order ● **12/18 weeks** - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 15** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. 30X-AC-0-04-F-57-S-WH + S05DSF0-VM001

30X	AC	0	04	F	57	S	WH
Product	Optic	Mounting	LED Count	Version	CCT	Option	Finish
30X 304 Series	AC Type IV Medium	0 Ceiling Mount	04 40LED	F	40 4000K CRI70	S Standard Program	WH White
	no adder	€ 837	no adder	no adder	no adder	no adder	no adder
	PR Type III Medium		06 60LED		57 5700K CRI70	D 1-10V Dimming	SV Silver
	no adder		€ 54		on request	€ 22	on request
	TS Type II Short					E Occupancy Sensor Programmable Multi Level	BK Black
	no adder					€ 157	on request
	QV Type V Medium						BR Bronze
	no adder						on request
	FS Petroleum Symmetric						
	no adder						
	40 Flood 40						
	on request						

Accessory Information

HAND-HELD REMOTE		
XA-SENSREM	For successful implementation of the programmable multi-level option, a minimum of one hand-held remote is required.	ON REQUEST

Notes

Option E Configurable only via XA-SENSREM (Remote control)

304 Series™ Mount R



● **4/6 weeks** - Stock Item & Made from Stock ● **6/12 weeks** - Made to Order ● **12/18 weeks** - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 15** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. 30X-AC-R-04-F-57-S-WH + S05DSF0-VM001

30X	AC	R	04	F	57	S	WH
Product	Optic	Mounting	LED Count	Version	CCT	Option	Finish
30X 304 Series	AC Type IV Medium	R Recessed Mount	04 40LED	F	40 4000K CRI70	S Standard Program	WH White
	no adder	€ 799	no adder	no adder	no adder	no adder	no adder
	PR Type III Medium		06 60LED		57 5700K CRI70	D 1-10V Dimming	SV Silver
	no adder		€ 54		on request	€ 22	on request
	TS Type II Short					E Occupancy Sensor Programmable Multi Level	BK Black
	no adder					€ 157	on request
	QV Type V Medium						BR Bronze
	no adder						on request
	FS Petroleum Symmetric						
	no adder						
	40 Flood 40						
	on request						

Accessory Information

HAND-HELD REMOTE		
XA-SENSREM	For successful implementation of the programmable multi-level option, a minimum of one hand-held remote is required.	ON REQUEST
RTF-RCS-A2-304##	Retrofit Kit (Mount R)	€ 98

Notes

Option E Configurable only via XA-SENSREM (Remote control)

304 Series™ Mount Y

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 15** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. 30X-AC-Y-04-F-57-S-WH + S05DSF0-VM001

30X	AC	Y	04	F	57	S	WH
Product	Optic	Mounting	LED Count	Version	CCT	Option	Finish
30X 304 Series	AC Type IV Medium	Y Yoke Mount	04 40LED	F	40 4000K CRI70	S Standard Program	WH White
	no adder	€ 832	no adder	no adder	no adder	no adder	no adder
	PR Type III Medium		06 60LED		57 5700K CRI70	D 1-10V Dimming	SV Silver
	no adder		€ 54		on request	€ 22	on request
	TS Type II Short					E Occupancy Sensor Programmable Multi Level	BK Black
	no adder					€ 157	on request
	QV Type V Medium						BR Bronze
	no adder						on request
	FS Petroleum Symmetric						
	no adder						
	40 Flood 40						
	on request						

Accessory Information

HAND-HELD REMOTE		
XA-SENSREM	For successful implementation of the programmable multi-level option, a minimum of one hand-held remote is required.	ON REQUEST

Notes

Option E Configurable only via XA-SENSREM (Remote control)

INDUSTRIA

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 20** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

E.g. INDA-N-90-34L-408+-A-SG-FX-S-S-02 + IND-EY

ORDERING INFORMATION

INDA	N*	90	34L	408	+	A	SG	FX	S	S	02
Product	Mounting	Optic	Lumen Package	CCT	Insulation Class	Voltage	Finish	Option	Variant	Protection	Cable Length
INDA INDUSTRIA Version A	N* No mount	55** Narrow beam 55°	15L Size Small 85W	308 3000K - CRI 80	+ Class 1	A 220-240V	SG Shapphire Grey	FX Fixed Power	S Standard no socket/ no	S Standard by driver	02 exit cord 2m
no adder	no adder	no adder	€ 570	on request	no adder	no adder	no adder	no adder	no adder	no adder	no adder
		75 Medium beam 75°	20L Size Small 115W	409 4000K - CRI 90				DL DALI 2.0 D4i	M Full Prog Sensor	U 10 kV via SPD	
		no adder	€ 570	on request				€ 120	€ 190	€ 20	
		90 Medium beam 90°	29L Size Medium 165W	509 5000K - CRI 90							
		no adder	€ 820	on request							
		HR Aisle pattern High Rack	34L Size Medium 195W	408 4000K - CRI 80							
		Lens adder	€ 820	no adder							
			44L Size Large 250W	508 5000K - CRI 80							
			€ 1270	no adder							
			51L Size Large 295W								
			€ 1270								

*Customer must select one mounting KIT

**Available soon

Accessory Information

MOUNTING OPTIONS		
IND-EY	EYE BOLT (2 PCS)	€ 5
IND-SP	WIRE SUSPENSION (2 PCS)	€ 65
IND-BB	BUSBAR (2 PCS)	€ 35
IND-WB	WALL & SURFACE ADJUSTABLE BRACKET	€ 75


SAFETY ROPE		
IND-SR	Safety Rope Stainless Steel 1,5 m	€ 25

LENS HR ADDER	
SIZE SMALL	€ 10
SIZE MEDIUM	€ 20
SIZE LARGE	€ 30

EMERGENCY KIT		
IND-EM	Emergency kit - 200 lm 3 hrs	€ 325
IND-EM-BR	Emergency Mounting Bracket Kit for INDUSTRIA	€ 35

DUST COVERS		
IND-DC-S	Dust Cover Per Size Small 15L-20L (2 Pcs)	€ 40
IND-DC-M	Dust Cover Per Size Medium 29L-34L (2 Pcs)	€ 50
IND-DC-L	Dust Cover Per Size Large 44L-51L (2 Pcs)	€ 60

STELLAR Series



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. STL-A-NM-60-13L-308-+-24-45-WH-DIM

STL	A	NM	60	13L	308	+	24	45	WH	DIM
Product	Version	Mounting Option	Optic	Input Power	CCT	Insulation Class	Voltage	High Operation Temperature	Finish	Control Options
STL	A	NM No mount	60 60°	13L 95W	308 3000K - CRI 80	+	24 220-240V	45 -35° ≈ +45°	WH White	DIM 1-10V
		no adder	no adder	€ 220	no adder	no adder	no adder	no adder	no adder	no adder
			90 90°		408 4000K - CRI 80					
			no adder		no adder					
			12 120°	13L 95W	508 5000K - CRI 80					DL DALI
			no adder	€ 220	no adder					€ 70
				20L 145W						DIM 1-10V
				€ 265						no adder
				20L 145W						DL DALI
				€ 265						€ 85
				27L 193W						DIM 1-10V
				€ 325						no adder
				27L 193W						DL DALI
				€ 325						€ 100
				31L 228W						DIM 1-10V
				€ 395						no adder
				31L 228W						DL DALI
				€ 395						€ 125

Accessory Information

MOUNTING ACCESSORIES		
STL-EY	EYEBOLT EY - Standar Mounting (Included)	no adder
STL-HK-13L	HOOK (STAINLESS STEEL) Only for Dim Version 13/20/27/31L Only for DALI Version 13/20/27L Fits all versions except DALI 31L	€ 11
STL-HK-27L	HOOK (STAINLESS STEEL) Only for DALI Version 31L Fits only DALI 31L	€ 11
STL-UB	UNIVERSAL U BRACKET UB - Universal Bracket	€ 27

DALI MICROWAVE (HF) SENSOR		
HB-HF-DL-IP65-CM-SS-HYHMW34	IP65 DALI Sensor	€ 127
HB-STL-BR-HYHMW34	Sensor Mounting Bracket per STL	€ 40
HB-CNT-HYHRC11	Remote controller for HB Sensor	€ 80

ACCESSORIES		
STL-LS-13L	Aluminum Reflector Input Power 13L	€ 27
STL-LS-20L	Aluminum Reflector Input Power 20L	€ 32
STL-LS-27L	Aluminum Reflector Input Power 27/31L	€ 37
STL-SR	Safety Rope 1,5M	€ 11
STL-CH-001	Stainless steel chain 1,5M	€ 22
STL-DIS-SS*	Microwave Sensor	€ 46
STL-DIS-CNT*	Infrared remote controller	€ 59
STL-CR-13L	Clear Reflector Input Power 13L	€ 46
STL-CR-20L	Clear Reflector Input Power 20L	€ 63
STL-CR-27L	Clear Reflector Input Power 27L/31L	€ 70


IFP Series

● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 5** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



ORDERING INFORMATION

E.g. IFP-A-NM-1L-12-30K-80-24-FX

IFP	A	NM	1L	12	30K	80	24	FX
Product	Version	Mounting Options	Input Power	Dimensions	CCT	CRI	Voltage	Control Options
IFP	A	NM	1L 15W	12 300x600mm	30K 3000K	80 80CRI	24 220-240V	FX Fixed Output
	no adder	no adder	€ 62	no adder	no adder	no adder	no adder	no adder
			4L 33W	22 600x600mm	40K 4000K	90 90CRI		DL DALI
			€ 84	no adder	no adder	on request		€ 35
			4L 35W	14 300x1200mm	50K 5000K			
			€ 89	no adder	on request			
			8L 70W	24 600x1200mm				
			€ 187	no adder				

Accessory Information


MOUNTING ACCESSORIES (OPTIONAL)		
IFP-RC	Recessed Installation	€ 10
IFP-SP	Suspend Installation	€ 15
IFP-SF (only for 4L-22)	Surface Mount Installation	€ 25

ACCESSORIES

EM-LED-FC-3H-2W-WH	Emergency LED light units	€ 151
--------------------	---------------------------	-------

Notes

Limited inventory available, consult factory for quick shipment Items
This product is available with size 625x625mm subject to MOQ. Please consult the company for more details.
This product is available with mark TPa & TPb subject to MOQ. Please consult the company for more details.



LR22

● **4/6 weeks** - Stock Item & Made from Stock ● **6/12 weeks** - Made to Order ● **12/18 weeks** - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. LR22-B-32L-30K-24-ADIM

LR22	-	B	-	32L	-	30K	-	24	-	ADIM
Product		Version		Lumen Package		CCT		Voltage		Control Options
LR22		B		32L 28W		30K 3000K		24 220-240V		ADIM 1-10V
		no adder		€ 195		no adder		no adder		no adder
										DALI DALI
										€ 10

ORDERING INFORMATION

E.g. LR22-B-34L-40K-24-ADIM

LR22	-	B	-	34L	-	40K	-	24	-	ADIM
Product		Version		Lumen Package		CCT		Voltage		Control Options
LR22		B		34L 28W		40K 4000K		24 220-240V		ADIM 1-10V
		no adder		€ 195		no adder		no adder		no adder
										DALI DALI
										€ 10

ACCESSORIES		
EM-LED-FC-3H-2W-WH	Emergency LED light units	€ 151
MA0001S09010	Surface mounting interface for LR22, WH colour, complete with hardware	ON REQUEST

IDL SERIES - DL8



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 5** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. DL8-A-1S-1L-308-24-WH-FX

DL8	A	1S	1L	308	24	WH	FX
Product	Version	Size	Lumen Package	CCT	Voltage	Lumen Package	Control Options
DL8	A	1S D. 130mm	1L 8W	308 30K CRI80	24 220-240V	WH White	FX Fixed Output
		no adder	€ 84	no adder	no adder	no adder	no adder
			2L 14W	408 40K CRI80		BK Black	DL DALI
			€ 97	no adder		€ 6	€ 35
			3L 19W			BA Brushed Aluminium	
			€ 104			€ 6	
		2S D. 195mm	3L 18W				
		no adder	€ 121				
			4L 30W				
			€ 128				
			5L 48W				
			€ 149				

Accessory Information

IDL-1S-54	IP54 Glass System for Size 1	€ 12
IDL-2S-54	IP54 Glass System for Size 2	€ 16

ACCESSORIES

EM-LED-FC-3H-2W-WH	Emergency LED light units	€ 151
--------------------	---------------------------	-------

IDL SERIES - DL9

● **4/6 weeks** - Stock Item & Made from Stock ● **6/12 weeks** - Made to Order ● **12/18 weeks** - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 5** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



E.g. DL9-A-1S-1L-308-24-WH-FX

ORDERING INFORMATION

DL9	-	A	-	1S	-	1L	-	308	-	24	-	WH	-	FX
Product		Version		Size		Lumen Package		CCT		Voltage		Lumen Package		Control Options
DL9		A		1S D. 130mm		1L 7W		309 30K CRI90		24 220-240V		WH White		FX Fixed Output
		no adder		no adder		€ 87		no adder		no adder		no adder		no adder
						2L 12W		409 40K CRI90				BK Black		DL DALI
						€ 97		no adder				€ 6		€ 35
						3L 18W						BA Brushed Aluminium		
						€ 104						€ 6		
						4L 27W								
						€ 113								

Accessory Information

IDL-1S-54	IP54 Glass System for Size 1	€ 12
-----------	------------------------------	------

ACCESSORIES

EM-LED-FC-3H-2W-WH	Emergency LED light units	€ 151
--------------------	---------------------------	-------

ITP Series

● **4/6 weeks** - Stock Item & Made from Stock ● **6/12 weeks** - Made to Order ● **12/18 weeks** - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 5** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times



E.g. ITP-A-CL-3L-308-24-FX

ITP	A	CL	3L	308	24	FX
Product	Version	Mounting Options	Lumen Package	CCT	Voltage	Control Options
ITP Integrated Triproof	A	CL Ceiling Installation	3L* 18W	308 3000K 80CRI	24 220-240V	FX Fixed Output
	no adder	no adder	€ 48	no adder	no adder	no adder
			5L 36W	408 4000K 80CRI		SS With Sensor On-Off
			€ 71	no adder		€ 18
			7L 50W	508 5000K 80CRI		DL DALI
			€ 90	no adder		€ 55

Accessory Information

ITP-CNT	IR remote controller	€ 15
ITP-SP	Suspend Installation Kit	€ 10

IWT Series



● 4/6 weeks - Stock Item & Made from Stock ● 6/12 weeks - Made to Order ● 12/18 weeks - Made to Order

Nominal lead times indicated above refer to every distinct order code for an **MOQ 10** pcs

Nominal lead times are subject to change without prior notice.

All on-request product variations are subject to specific MOQ and lead times

ORDERING INFORMATION

E.g. IWT-A-CL-5L-308-24-FX-S-SS

IWT	A	CL	5L	308	24	FX	S	SS
Product	Version	Mounting Options	Lumen Package	CCT	Voltage	Control	Variant	Accessory
IWT Integrated Waterproof	A	CL Ceiling Installation	5L 1200 - 28W	308 30K 80CRI	24 220-240 V	FX ON-OFF	S Standard	no code Standard
			€ 115	no adder	no adder	no adder	no adder	no adder
			7L 1500 - 42W	408 40K 80CRI		DL DALI	TW Through wiring	SS Sensor
			€ 130	no adder		€ 35	€ 15	€ 80
						DIM 1-10V		EB3 (on request) Emergency 3h
						on request		€ 150
								10 IK10
								Diffuser adder
								SS10 Sensor+IK10
								€ 80 + Diffuser Adder
								EB310 Emergency 3h+IK10
								€ 150 + Diffuser Adder

Accessory Information

IWT-SP	Suspended Installation Kit	€ 20
IWT-CNT	IR Remote controller	€ 35

Diffuser Adder

IK10 Diffuser 5L	€ 10
IK10 Diffuser 7L	€ 15



10 Year Warranty

ENERGY SERIES



CODE	DESCRIPTION	PRICE
TR-W10-2L8L	Warranty extension 10-years lumen packages 2L to 8L	8 €/pcs
TR-W10-9L16L	Warranty extension 10-years lumen packages 9L to 16L	10 €/pcs
TR-W10-17L26L	Warranty extension 10-years lumen packages 16L to 26L	15 €/pcs

Dot. SERIES



CODE	DESCRIPTION	PRICE
KT-W10-2L8L	Warranty extension 10-years lumen packages 2L to 8L	8 €/pcs
KT-W10-9L12L	Warranty extension 10-years lumen packages 9L to 12L	10 €/pcs

URBAN SERIES PRO



CODE	DESCRIPTION	PRICE
AR-W10-2L8L	Warranty extension 10-years lumen packages 2L to 8L	16 €/pcs
AR-W10-9L12L	Warranty extension 10-years lumen packages 9L to 12L	18 €/pcs
CN-W10-2L8L	Warranty extension 10-years lumen packages 2L to 8L	20 €/pcs
CN-W10-9L12L	Warranty extension 10-years lumen packages 9L to 12L	22 €/pcs
CR-W10-2L8L	Warranty extension 10-years lumen packages 2L to 8L	18 €/pcs
CR-W10-9L12L	Warranty extension 10-years lumen packages 9L to 12L	20 €/pcs
MD-W10-2L8L	Warranty extension 10-years lumen packages 2L to 8L	22 €/pcs
MD-W10-9L12L	Warranty extension 10-years lumen packages 9L to 12L	24 €/pcs

INDUSTRIA



CODE	DESCRIPTION	PRICE
IND-W10-15L20L	Warranty extension 10-years lumen packages 15L to 20L	15 €/pcs
IND-W10-29L34L	Warranty extension 10-years lumen packages 29L to 34L	25 €/pcs
IND-W10-44L51L	Warranty extension 10-years lumen packages 44L to 51L	30 €/pcs

CONDITIONS

The prices indicated are strictly net and no further discounts will be applied

The 10 year warranty is for project installations only and subject to MOQ's. An installation address will be required. Please contact your Cree Lighting Europe representative to discuss.

The prices indicated are valid if all items in the same order include the 10-year warranty extension

Same conditions of Standard Warranty apply

Warranty extension revenue will not count towards commission or bonus payments

Warranty extension must be taken out at the time of the original purchase



20 Year Warranty

ENERGY SERIES



CODE	DESCRIPTION	PRICE
TR-W20-2L8L	Warranty extension 20-years lumen packages 2L to 8L	30 €/pcs
TR-W20-9L16L	Warranty extension 20-years lumen packages 9L to 16L	38 €/pcs
TR-W20-17L26L	Warranty extension 20-years lumen packages 16L to 26L	56 €/pcs

Dot. SERIES



CODE	DESCRIPTION	PRICE
KT-W20-2L8L	Warranty extension 20-years lumen packages 2L to 8L	30 €/pcs
KT-W20-9L12L	Warranty extension 20-years lumen packages 9L to 12L	38 €/pcs

URBAN SERIES PRO



CODE	DESCRIPTION	PRICE
AR-W20-2L8L	Warranty extension 20-years lumen packages 2L to 8L	60 €/pcs
AR-W20-9L12L	Warranty extension 20-years lumen packages 9L to 12L	68 €/pcs
CN-W20-2L8L	Warranty extension 20-years lumen packages 2L to 8L	75 €/pcs
CN-W20-9L12L	Warranty extension 20-years lumen packages 9L to 12L	83 €/pcs
CR-W20-2L8L	Warranty extension 20-years lumen packages 2L to 8L	68 €/pcs
CR-W20-9L12L	Warranty extension 20-years lumen packages 9L to 12L	75 €/pcs
MD-W20-2L8L	Warranty extension 20-years lumen packages 2L to 8L	83 €/pcs
MD-W20-9L12L	Warranty extension 20-years lumen packages 9L to 12L	90 €/pcs

INDUSTRIA



CODE	DESCRIPTION	PRICE
IND-W20-15L20L	Warranty extension 20-years lumen packages 15L to 20L	56 €/pcs
IND-W20-29L34L	Warranty extension 20-years lumen packages 29L to 34L	94 €/pcs
IND-W20-44L51L	Warranty extension 20-years lumen packages 44L to 51L	113 €/pcs

CONDITIONS

The prices indicated are strictly net and no further discounts will be applied

The 20 year warranty is only available by agreement and for a specified project installation. MOQ's will apply. Please contact your Cree Lighting Europe representative to discuss.

The prices indicated are valid if all items in the same order include the 20-year warranty extension

Same conditions of Standard Warranty apply

Warranty extension revenue will not count towards commission or bonus payments

Warranty extension must be taken out at the time of the original purchase

Cree Lighting Europe – General Sales Terms and Conditions

(Review: 13.06.2022)

1. Applicability of the Terms

- 1.1 These General Sales Terms and Conditions (GSTCs) shall apply to any and all contracts for the sale and supply of products or services by Cree Lighting Europe Spa (“Seller”) to any purchaser (“Buyer”).
- 1.2 These GSTCs supersede all prior releases, proposals, agreements and understandings between the parties, whether oral or written.
- 1.3 Buyer shall not assign or transfer any rights or claims under these GSTCs without the prior written consent of Seller.

2. Orders and Prices

- 2.1 Seller's acceptance of all orders is subject to Buyer's acceptance to these GSTCs. Any of Buyer's terms and conditions which are different from or in addition to those contained in these GSTCs shall be of no effect unless specifically agreed to in writing by Seller.
- 2.2 Seller reserve the right to accept or refuse any order by Buyer.
- 2.3 The minimum acceptable order value is €1000 net. Sellers reserve the right to accept orders for lower value. In case the ordering value is lower than the indicated above, a charge of € 200 will be applied to the customer for the management of the order.
- 2.4 Lead times communicated by Seller are estimates only and do not give rise to any further commitment from Seller.
- 2.5 Any quotation from Seller is valid for 30 days unless otherwise agreed to by Seller in writing.
- 2.6 Applicable prices are the ones stated in Seller's order acknowledgment and specifically override any prices referenced in Buyer's purchase order.
- 2.7 Unless otherwise specified, the prices stated in the seller's quotations and/or order acknowledgments are in Euros and do not include transportation, insurance or any sales, use, excise or other taxes, duties, fees, or assessments imposed by any jurisdiction.
- 2.8 Orders may not be cancelled or modified, either in whole or part, without Seller's express written consent. All cancelled orders are subject to a cancellation charge to be determined at Seller's discretion, on the basis of the costs already incurred for the order at the moment of cancellation.
- 2.9 All prices and other terms are subject to correction for typographical or clerical errors.

3. Terms of payment

- 3.1 All payments must be executed according to the currency set in the invoice. Buyer shall pay for products as specified in invoice terms (or order acknowledgment terms in case this act as proforma). Unless otherwise specified by the Seller, there are no discounts for early payments. Seller reserves the right to change the amount of or withdraw any credit extended to Buyer.
- 3.2 Amounts not paid when due shall be subject to interest at the rate of one and one-half percent (1.5%) per month or, if less, the maximum rate permitted by law.
- 3.3 In the event of the bankruptcy or insolvency of Buyer, or the filing of any proceeding by or against Buyer under any bankruptcy, insolvency or receivership law, or in the event Buyer makes an assignment for the benefit of creditors, Seller may, at its election and without prejudice to any other right or remedy, exercise all rights and remedies granted to Seller by the applicable law as in the case of a default by Buyer under these GSTCs.

4. Delivery and Title of goods

- 4.1 Unless otherwise confirmed in writing by Seller, products shall be shipped Ex Works (Incoterms 2020) to the location designated by Buyer (subject to art. 9 - "Export control"), and all transportation charges and expenses shall be paid by Buyer, including the cost of any insurance, and any sales, use, excise or other taxes, duties, fees or assessments levied
- 4.2 Seller reserves the right to ship products free domicile. In such case, unless otherwise advised by Seller, orders to shipped to the United Kingdom, Ireland, and Spain (islands excluded) having a net value of less than €3,000 will be charged a shipping and handling fee of 5% of the order value, or €50,00, whichever is greater.
- 4.3 Title, risk of loss and/or damage to products shall pass to Buyer upon delivery of the products to the transportation company at the shipping point in case of Ex Works shipments, and upon proof of delivery in case of free domicile shipments.
- 4.4 In case of Ex Works shipments and after 2 weeks from Seller informing Buyer in writing that the products are ready for delivery, the Seller reserves the right to charge to Buyer a deposit fee of €6,00 or higher per skid per each week of delay in collecting the goods.
- 4.5 Distributors are not authorized to sell or ship any products purchased under these GSTCs outside of the country to which the products were initially shipped by Seller without prior written approval of Seller.
- 4.6 All products must be inspected upon receipt and claims filed by Buyer with the transportation company when there is evidence of shipping damage, either concealed or external.
- 4.7 The Buyer is under an obligation (i) to examine the Products or cause them to be examined within a short period as is practicable in the circumstances after the Products have arrived at their destination and (ii) to give notice to the Seller in writing or by email specifying the nature of the defect/ lack of conformity no later than 30 (thirty) days after Buyer has discovered or ought to have discovered the defect / lack of conformity , Should the Buyer fail to do so, all Products delivered shall be deemed accepted by Buyer and Buyer shall lose the right to rely on any defect/ lack of conformity.

5. Intellectual property rights

- 5.1 The sale of products or provision of services hereunder does not convey any express or implied license under any patent, copyright, trademark, or other proprietary rights owned or controlled by Seller, whether relating to the products sold, service provided, or any manufacturing process or other matter. All rights under any such patent, copyright, trademark or other proprietary rights are expressly reserved by Seller. Furthermore, Buyer agrees not to infringe, directly or indirectly, any patents of Seller with any combination or system incorporating a product sold under these GSTCs.
- 5.2 Seller will defend any suit or proceeding brought against Buyer insofar as such suit or proceeding is based on a claim that the design or manufacture of products furnished under these GSTCs which were manufactured solely to Seller's designs and specifications infringe any U.S. or European patent issued as of the date of shipment, provided Seller is promptly notified in writing of such suit or proceeding and is given full authority, information, and assistance by Buyer for such defense. Seller will pay all damages and costs based on such claim of infringement which are finally awarded against Buyer in any such suit or proceeding or paid by way of settlement, but Seller shall have no liability whatsoever with respect to any settlement made by Buyer without Seller's prior written consent. If such products are held to infringe any U.S. or European patent and their use or sale is enjoined, or if in the opinion of Seller such products are likely to become the subject of such a claim of infringement, Seller may, in its sole discretion and at its own expense, either procure a license which will protect Buyer against such claim without cost to Buyer, replace such products with non-infringing products, or require return of such products and refund an equitable portion of the price paid by Buyer to Seller for such products.
- 5.3 The foregoing states Seller's sole liability for any claim based upon or related to any alleged infringement of any patent or other intellectual property rights. Seller shall have no liability for any claim of infringement or damages based on a combination of products furnished under these GSTCs with products, equipment or materials not furnished hereunder, or based upon any items made with the products furnished under these GSTCs.

5.4 Buyer shall defend and hold Seller harmless against any expense, loss, costs, or damages resulting from any claimed infringement of patents, trademarks or other intellectual property rights arising out of compliance by Seller with Buyer's designs, specifications, or instructions.

5.5 Seller grants Buyer a limited, non-exclusive non-transferable license to use the trade names and trademarks of Seller and its affiliates available upon request to Seller, solely for the promotion and sale of products in accordance with these GSTCs and solely in compliance with Seller's Trademark Usage Guidelines, as amended from time to time, of which a current copy can be obtained from the Seller's web page.

5.6 Seller reserves the right to publicize that Buyer has purchased products from Seller.

6. Standard commercial warranty

6.1 Seller shall provide to the original purchaser a standard warranty for each of Seller's commercial grade products provided under these GSTCs. The terms, limitations, and exclusions for the limited warranty for each product are available at <https://www.creelighting-europe.com/en/resources/warranty/>

6.2 Seller reserves the right to modify its standard warranty at any time in its sole discretion.

7. Limitation of liability

7.1 Seller's aggregate liability in damages or otherwise shall in no event exceed the amount, if any, received by seller from buyer for the purchases of products and services under these GSTCs. In no event shall Seller be liable for incidental, consequential or special loss or damages of any kind, however caused, or any punitive, exemplary, or other damages.

7.2 No action, regardless of form, arising out of or in any way connected with products or services furnished by Seller may be brought by Buyer more than one (1) year after the cause of action accrued.

8. Applicable laws and Dispute resolution

8.1 These GSTCs and all contracts for the sale and supply of products or services between Seller and Buyer shall be governed by the laws of Italy including expressly the CISG (1980 Vienna Convention on Contracts for the International Sale of Goods).

8.2 [If Buyer is domiciled in a European Union member State or in an EFTA country] Jurisdiction

For any controversy or claim (including, without limitation, any claim based on negligence, misrepresentation, strict liability or other basis) arising out of or relating to or connected with this Agreement/these GSTCs/ all contracts for the sale and supply of products or services between Seller and Buyer including those concerning their validity, interpretation, performance and termination, the Courts of Florence, Italy, shall have exclusive jurisdiction; provided however that the Seller, at its sole option, shall have the right to bring proceedings before the Courts in the place of domicile of the Buyer .

8.3 [If Buyer is domiciled outside of the European Union and the EFTA]

Arbitration Any controversy or claim (including, without limitation, any claim based on negligence, misrepresentation, strict liability or other basis) arising out of or relating to or connected with this Agreement/these GSTCs/ all contracts for the sale and supply of products or services between Seller and Buyer including those concerning their validity, interpretation, performance and termination, which involves an amount in excess of 50,000 Euro (exclusive of interest and costs), shall be settled by arbitration in accordance with the Rules of the Chamber of Arbitration of Milan, by a sole arbitrator appointed in accordance with the Rules, which are deemed to be incorporated by reference into this clause. The place of arbitration shall be Milan, Italy. The decision in such arbitration shall be final and binding.

Jurisdiction for claims up to 50.000 Euro - For any such controversy or claim which involves an amount of up to 50,000 Euro (exclusive of interest and costs), the Courts of Florence, Italy, shall have exclusive jurisdiction; provided however that the Seller, at its sole option, shall have the right to bring proceedings before the Courts in the place of domicile of the Buyer.

9. Export control

9.1 Seller's export of the products, and any technical information related thereto, may be subject to national and/or international (e.g., UN) laws and regulations controlling their export and re-export, or limiting the export of certain products to specific countries (e.g., embargo regulations). Seller shall not be obligated under these GSTCs to export, transfer or deliver any products or related technical information to Buyer if prohibited by applicable laws or until all necessary governmental authorizations have been obtained. Seller shall not be liable under these GSTCs for any expenses or damages resulting from failure to obtain or delays in obtaining any required government authorizations.

9.2 Buyer shall comply fully with all national and/or international export administration and control laws and regulations that may be applicable to the export, re-export, resale, or other disposition of any products purchased from Seller.

10. General

10.1 If the products purchased from Seller are to be used in the performance of a government contract or subcontract, no government requirements or regulations shall be binding upon Seller unless specifically agreed to by Seller in writing. No modification, amendment, rescission, waiver, or other change in these GSTCs shall be binding on Seller unless agreed to in writing by Seller. The invalidity or unenforceability, in whole or in part, of any provision herein shall not affect the validity or enforceability of any other provision herein. Failure or delay on the part of either party to exercise any right, power, privilege, or remedy herein shall not constitute a waiver thereof.

10.2 The section headings contained herein are for convenience of reference only and are not to be used in the construction or interpretation of these GSTCs.

11. By accepting these General Sales Terms and Conditions, the Buyer declares to have read the Information Notice pursuant to Articles 13 and 14 of Regulation (EU) 2016/679 (GDPR) available on the site <https://www.creelighting-europe.com/it/>. The processing of personal data collected by Cree Lighting Europe Spa in relation to each purchase order (common data: contact data on the Buyer's side), is aimed exclusively at the execution of the same, the legal basis of the processing related to the relative purpose is therefore the execution of the contractual relationship. The personal data (i) will be processed in paper archive, computer or telematic form depending on the methods of collection and storage, (ii) may be communicated to our agents or distributors for the same purposes and (iii) may be stored on databases of the company and its group located also in the United States and in the UK, as reported in the full disclosure. The security standards of the files in which we store data are such that they ensure the protection of the personal data collected. Personal data will not be disclosed or communicated to third parties and will be kept for a period no longer than necessary for the purposes for which they were collected and subsequently processed, and in any case will be deleted after 2 years from the last contact with the Purchaser. Their removal will in any case take place in a secure manner. For all matters not expressly provided for herein, reference is made to the aforementioned information notice, including the contacts for the exercise of rights by individuals whose personal data is processed by virtue of the relationship between the Company and the Purchaser.

CREE LIGHTING

Visit www.creelighting-europe.com or contact a Cree lighting® representative to learn more.

© 2023 Cree Lighting Europe S.p.A. All rights reserved.

For informational purposes only. Content is subject to change. Patents : www.creelighting.com/patents
Cree® and the Cree Lighting® logo are registered trademarks and the Cree SmartCast Technology® Logo is a trademark of Cree, Inc.